

```

screen 0
{
  general
  {
    font = "gamow-6"
  }
  colors
  {
    normal_border = "#111111"
    normal_bg = "#111111"
    normal_fg = "#707070"
    #focus_border = "#06989a"
    #focus_bg = "#06989a"
    focus_border = "#707070"
    focus_bg = "#707070"
    focus_fg = "#111111"
  }
  padding
  {
    bottom = 24
  }
  tags
  {
    tag 1www { }
    tag 2term { }
    tag 3fm { }
    tag 4im { }
    tag 5play { }
    tag 6work { }
    tag 7misc { }
    tag 8misc { }
    tag 9misc { }
  }
  layouts
  {
    layout tile { image = "/usr/share/awesome/icons/layouts/tilew.png" }
    layout tileleft { image = "/usr/share/awesome/icons/layouts/tileleftw.png" }
    layout max { image = "/usr/share/awesome/icons/layouts/maxw.png" }
    layout spiral { image = "/usr/share/awesome/icons/layouts/spiralw.png" }
    layout dwindle { image = "/usr/share/awesome/icons/layouts/dwindlew.png" }
    layout floating { image = "/usr/share/awesome/icons/layouts/floatingw.png" }
  }
  statusbar mystatusbar
  {
    position = "top"

    taglist mytaglist
    {
      mouse
      {
        button = "1"
        command = "tag_view"
      }
    }
  }
}

```

```
}
mouse
{
  button = "1"
  modkey = {"Mod4"}
  command = "client_tag"
}
mouse
{
  button = "3"
  command = "tag_toggleview"
}
mouse
{
  button = "3"
  modkey = {"Mod4"}
  command = "client_toggletag"
}
mouse
{
  button = "4"
  command = "tag_viewnext"
}
mouse
{
  button = "5"
  command = "tag_viewprev"
}
}
layoutinfo mylayoutinfo
{
  mouse
  {
    button = "1"
    command = "tag_setlayout"
    arg = "+1"
  }
  mouse
  {
    button = "4"
    command = "tag_setlayout"
    arg = "+1"
  }
  mouse
  {
    button = "3"
    command = "tag_setlayout"
    arg = "-1"
  }
  mouse
  {
    button = "5"
```

```

        command = "tag_setlayout"
        arg = "-1"
    }
}
tasklist mytasklist
{
    mouse
    {
        button = "4"
        command = "client_focusnext"
    }
    mouse
    {
        button = "5"
        command = "client_focusprev"
    }
    mouse
    {
        modkey = {"Mod4"}
        button = "4"
        command = "client_swapnext"
    }
    mouse
    {
        modkey = {"Mod4"}
        button = "5"
        command = "client_swapprev"
    }
}
textbox tb_date {
    fg = "#707070"
    text = " "
}
}
}

rules
{
    rule { name = "Gimp" float = true }
    rule { name = "MPlayer" float = true }
    rule { name = "Acroread" float = true }
    rule { name = "pinentry" float = true }
    rule { name = "pidgin" float = true tags = "4im"}
    rule { name = "Minefield" tags = "1www" }
}

mouse
{
    root
    {
        button = "3"
        command = "spawn"
    }
}

```

```

    arg = "exec urxvt"
}
root
{
    button = "4"
    command = "tag_viewnext"
}
root
{
    button = "5"
    command = "tag_viewprev"
}
client
{
    modkey = {"Mod4"}
    button = "1"
    command = "client_movemouse"
}
client
{
    modkey = {"Mod4"}
    button = "2"
    command = "client_zoom"
}
client
{
    modkey = {"Mod4"}
    button = "3"
    command = "client_resizemouse"
}
}

keys
{
    key
    {
        modkey = {"Mod4"}
        key = "Return"
        command = "spawn"
        arg = "exec urxvt"
    }
    key
    {
        modkey = {"Mod4"}
        key = "p"
        command = "spawn"
        arg = "exec $HOME/bin/dmenu_bind.sh"
    }
    key
    {
        modkey = {"Mod4", "Shift"}
        key = "p"
    }
}

```

```

    command = "spawn"
    arg = "exec $HOME/bin/dmenu_history.sh"
}
key
{
    modkey = {"Mod4"}
    key = "minus"
    command = "spawn"
    arg = "exec mocp -v -5"
}
key
{
    modkey = {"Mod4"}
    key = "plus"
    command = "spawn"
    arg = "exec mocp -v +5"
}
key
{
    modkey = {"Mod4"}
    key = "t"
    command = "spawn"
    arg = "exec mocp -G"
}
key
{
    modkey = {"Mod4"}
    key = "Print"
    command = "spawn"
    arg = "exec scrot '%Y-%m-%d-%T_$wx$h_scrot.png' -e 'mv $f ~/Screenies/'"
}
key
{
    modkey = {"Mod4"}
    key = "space"
    command = "tag_setlayout"
    arg = "+1"
}
key
{
    modkey = {"Mod4", "Shift"}
    key = "space"
    command = "tag_setlayout"
    arg = "-1"
}
key
{
    modkey = {"Mod4"}
    key = "b"
    command = "statusbar_toggle"
}
key

```

```
{
  modkey = {"Mod4"}
  key = "j"
  command = "client_focusnext"
}
key
{
  modkey = {"Mod4"}
  key = "k"
  command = "client_focusprev"
}
key
{
  modkey = {"Mod4"}
  key = "Tab"
  command = "focus_history"
  arg = "-1"
}
key
{
  modkey = {"Mod4", "Shift"}
  key = "j"
  command = "client_swapnext"
}
key
{
  modkey = {"Mod4", "Shift"}
  key = "k"
  command = "client_swapprev"
}
key
{
  modkey = {"Mod4", "Control"}
  key = "j"
  command = "screen_focus"
  arg = "+1"
}
key
{
  modkey = {"Mod4", "Control"}
  key = "k"
  command = "screen_focus"
  arg = "-1"
}
key
{
  modkey = {"Mod4"}
  key = "h"
  command = "tag_setmwfact"
  arg = "-0.05"
}
key
```

```

{
  modkey = {"Mod4"}
  key = "l"
  command = "tag_setmwfact"
  arg = "+0.05"
}
key
{
  modkey = {"Mod4", "Shift"}
  key = "h"
  command = "tag_setnmaster"
  arg = "+1"
}
key
{
  modkey = {"Mod4", "Shift"}
  key = "l"
  command = "tag_setnmaster"
  arg = "-1"
}
key
{
  modkey = {"Mod4", "Control"}
  key = "h"
  command = "tag_setncol"
  arg = "+1"
}
key
{
  modkey = {"Mod4", "Control"}
  key = "l"
  command = "tag_setncol"
  arg = "-1"
}
key
{
  modkey = {"Mod4"}
  key = "Escape"
  command = "tag_viewprev_selected"
}
key
{
  modkey = {"Mod4"}
  key = "Left"
  command = "tag_viewprev"
}
key
{
  modkey = {"Mod4"}
  key = "Right"
  command = "tag_viewnext"
}

```

```
key
{
  modkey = {"Mod4"}
  key = "m"
  command = "client_togglemax"
}
key
{
  modkey = {"Mod4", "Control"}
  key = "Return"
  command = "client_zoom"
}
key
{
  modkey = {"Mod4", "Control"}
  key = "space"
  command = "client_togglefloating"
}
key
{
  modkey = {"Mod4", "Shift"}
  key = "c"
  command = "client_kill"
}
key
{
  modkey = {"Mod4", "Shift"}
  key = "q"
  command = "quit"
}
key
{
  modkey = {"Mod4", "Control"}
  key = "q"
  command = "spawn"
  arg = "exec urxvt -e sudo shutdown -h now"
}
key
{
  modkey = {"Mod4", "Control"}
  key = "b"
  command = "spawn"
  arg = "exec urxvt -e sudo shutdown -r now"
}
key
{
  modkey = {"Mod4", "Control"}
  key = "r"
  command = "exec"
  arg = "awesome"
}
key
```



```

{
  modkey = {"Mod4"}
  key = "0"
  command = "tag_view"
}
keylist
{
  modkey = {"Mod4"}
  command = "tag_view"
  keylist = { 1, 2, 3, 4, 5, 6, 7, 8, 9 }
  arglist = { 1, 2, 3, 4, 5, 6, 7, 8, 9 }
}
key
{
  modkey = {"Mod4", "Control"}
  key = "0"
  command = "tag_toggleview"
}
keylist
{
  modkey = {"Mod4", "Control"}
  command = "tag_toggleview"
  keylist = { 1, 2, 3, 4, 5, 6, 7, 8, 9 }
  arglist = { 1, 2, 3, 4, 5, 6, 7, 8, 9 }
}

key
{
  modkey = {"Mod4", "Shift"}
  key = "0"
  command = "client_tag"
}
keylist
{
  modkey = {"Mod4", "Shift"}
  command = "client_tag"
  keylist = { 1, 2, 3, 4, 5, 6, 7, 8, 9 }
  arglist = { 1, 2, 3, 4, 5, 6, 7, 8, 9 }
}

key
{
  modkey = {"Mod4", "Shift", "Control"}
  key = "0"
  command = "client_toggletag"
}
keylist
{
  modkey = {"Mod4", "Shift", "Control"}
  command = "client_toggletag"
  keylist = { 1, 2, 3, 4, 5, 6, 7, 8, 9 }
  arglist = { 1, 2, 3, 4, 5, 6, 7, 8, 9 }
}

```

```
}  
}  
# vim: filetype=conf
```